

Index

Symbols

\$cast 50, 225–226, 231
\$dist_exponential 158
\$dist_normal 158
\$dist_poisson 158
\$dist_uniform 158
\$error 125
\$fatal 125
\$feof 56
\$fopen 56
\$fscanf 56
\$info 125
\$isunknown 29
\$psprintf 52
\$random 158
\$realtime 65
\$root 45, 122–123
\$sformat 52
\$size 30–31, 35
\$timeformat 65
\$unit 122
\$urandom 158
\$urandom_range 158
\$warning 125
+= 55
?: operator 32
`default_nettype 53
`define 45

Numerics

2-state types 28–29
4-state types 29

A

Accellera xxviii
accumulate operator 55
Active region 111–112, 114, 117
Agent class 96
always blocks in programs 119
anonymous enumerated type 48
arguments
 default value 60–61
 sticky 58
 task and function 57
 type 59
array
 assignment 36
 associative 37–39, 41, 43–44
 compare 32
 constraint 165
 copy 32
 dynamic 34, 36–37, 41–43
 fixed-size 29, 36–37, 41–43
 handle 91
 linked list 39
 literal 30
 locator methods 40
 methods 40
 multidimensional 29, 31
 packed 33–34
 queue 36–37, 42–43
 reduction methods 40
 unpacked 30, 34
assertion
 concurrent 126
 coverage 245

- procedural 124–125, 139–140
- associative array 37–39, 41, 43–44
- ATM router 126
- atomic stimulus generation 172
- auto_bin_max 257
- automatic 63–64, 73–74, 79, 113, 191
 - in threads 190

B

- backdoor load 123
- Backus-Naur Form 173
- base class 218
- begin...end 57, 184
 - optional in tasks and functions 57
- bidirectional signal 118
- bit data type 28–29
- BNF 173
- bounded mailbox 204–205
- break 56
- byte data type 28–29

C

- callback
 - coverage 253
 - scoreboard 239
- cast 50, 53, 56, 225, 231
 - \$cast 226, 235
 - function return value 56
- Checker class 96
- class 68, 70
- class constructor 71
- clock generator 120
- clocking block 108–109, 113–118, 131–132
- comment
 - covergroup 272
- composition 215, 228–230, 232
- concatenation
 - string 51
- concurrent assertion 126
- const type 51, 59, 122, 142
- constrained 8
- constrained-random test 8–9, 135, 158, 241
- constraint
 - array 165
 - block 139
 - dist 145–146

- inside 142–144, 147
- constraint_mode 154–156, 162
- constructor 71, 73, 218–219
- containment 85
- continue 56
- copy
 - deep 94
 - object 91, 233
 - shallow 93
- copy function 222, 233
- covergroup
 - comment 272
 - trigger 253
- CRC 68
- CRT 135, 158, 241
- cyclic random 139
- cyclic redundancy check 68

D

- data type
 - bit 28–29
 - byte 28–29
 - int 28
 - integer 27
 - logic 27–28
 - longint 28
 - real 27
 - reg 27
 - shortint 28
 - time 27
 - wire 27–28
- deallocation 74
- decrement 55
- default value 60–61
 - 2-state and 4-state 72
- delete method 35–36, 38, 44
- derived class 218
- disable 184, 192, 194
- disable fork 192–193
- disable label 194
- dist 145–146, 159, 276
- do...while loop 38, 49, 55
- domain 256
- Driver class 96
- dynamic array 34, 36–37, 41–43
- dynamic threads 188–189

E

enumerated types 47–48
 enumerated values 48
 enumeration 47
 Environment class 96
 event 195
 event triggered 196
 expression width 52
 extended class 218
 external constraints 163
 external routine declaration 80–81, 212

F

file I/O 56
 find_first method 41
 find_index method 41
 find_last method 41
 find_last_index method 41
 first 38
 first method 38, 44, 49–50
 fixed-size array 29, 36–37, 41–43
 for loop 30–31, 38, 49, 55
 force design signals 116, 123
 foreach constraint 165, 170–171
 foreach loop 30–31, 35–36, 38
 fork...join 184–185
 fork...join_any 184, 186–187
 fork...join_none 184, 186–188, 191
 four-state types 29
 function 56
 arguments 57
 functional coverage 295
 using callbacks 239

G

garbage collection 75
 Generator class 96, 187, 199
 getc method 51–52

H

handle 70–71
 array 91
 Hardware Description Language xxviii
 Hardware Verification Language xxviii, 1
 HDL xxviii
 hook 222, 236
 HVL xxviii, 1–2, 14

I

implicit nets 53
 implicit port connection 121
 increment 55
 inheritance 215–216, 228
 initialization in declaration 63
 in-line constraint 162
 inout argument type 59
 input argument type 59
 insert queue 36
 inside 142–144, 147, 149
 inside constraint 165
 instantiate 71
 int data type 28
 integer data type 27
 interface 102, 121
 procedural code 290
 virtual 279
 interprocess communication 183

L

last method 49
 linked list 39
 logic data type 27–28
 longint data type 28
 LRM SystemVerilog 43, 69, 116, 119,
 163, 184, 274, 279, 295

M

macro 45
 macromodule 121
 Magellan 295
 mailbox 201, 205, 208
 bounded 204–205
 unbounded 204
 makes Jack a dull boy xxxi
 malloc 71
 max method 41
 method 70, 218
 min method 41
 modport 105, 131
 module 69
 Monitor class 96
 multidimensional array 29, 31

N

name function 48, 144

new
 constructor 71–73
 copying objects 91
 new function 72
 new[] operator 35, 73
 next method 38, 44, 49
 nonblocking assignment 103, 108, 110,
 112, 116, 295
 null 71, 75, 78, 161

O

object 70
 copy 91, 233
 deallocation 74
 instantiation 71
 Object Oriented Programming 67
 Observed region 112
 OOP 67
 OOP analogy
 badge 74
 car 68
 house 70
 OpenVera xxviii
 or method 40
 output argument type 59

P

package 69, 121
 packed array 33–34
 parameter 45, 51, 121
 parent class 218
 pass by reference 59
 Perl hash array 38
 physical interfaces 279
 polymorphism 228
 pop_back 36
 post_randomize 156–158, 171, 173
 post-decrement 55
 post-increment 55
 pre_randomize 156–158
 pre-decrement 55
 pre-increment 55
 Prepone region 112–113, 115
 prev method 44, 49
 primitive 121
 private 95
 PRNG 135, 140, 177–179
 procedural assertion 124–125, 139–140

process 184
 product method 40
 program 63, 69, 121
 property 70, 218
 prototype 70, 218
 pseudo-random number generator 135,
 140, 177–178
 public 95
 push_back method 41
 push_front 36
 putc method 52

Q

queue 36–37, 41–43

R

rand 139
 rand_mode 159–160
 randc 139, 165
 randcase 175–176
 random seed 12–13, 135, 140, 177, 179
 random stability 178
 randomize function 139, 141
 randomize() with 155–156, 162
 randomize(null) 161
 randsequence 173
 Reactive region 112, 114, 117
 real data type 27
 ref argument type 59–62, 88–89, 116,
 237–238, 275
 reference counting 75
 reg data type 27
 return 62
 routine arguments 57

S

scenario generation 172
 scoreboard 19, 42, 96
 using callbacks 236, 239
 semaphore 199, 210
 shortint data type 28
 size function 35, 158, 165
 solve...before 152–153, 276
 sparse matrix 37
 static 63
 static variable 77–78
 string concatenation 51

string data type 51
string type 52
struct 46–47
sub class 218
substr method 51–52
sum method 40–42, 166
super class 218
SVA 126, 246, 295–296
SystemVerilog Assertion 126, 246, 255,
295–296

T

task 56
 arguments 57
The Matrix 1, 296
this 83
thread 183
time data type 27
time literals 64
timeprecision 64
timescale 64, 122–123
timeunit 64
tolower method 51
toupper method 51–52
transactor 96
triggered 207
triggered function 196
two-state types 28–29
typedef 45
 class 87
 enum 48
 struct 46–47
 union 47
 virtual interface 289

U

uint data type 45, 168
uint user-defined type 45
unbounded mailbox 204
union 46–47
unique method 41
unpacked array 30, 34

V

Verification Methodology Manual for
SystemVerilog 1, 295
Verilog-1995 xxvii–xxviii, 27, 29, 32,

57–58, 63, 127, 158, 279
Verilog-2001 xxvii–xxviii, 29, 32–33,
51–53, 56–57, 63, 101, 295
virtual interface 279
virtual memory 228
virtual methods 228
VMM 1, 295
void 56
void function 56–57, 158

W

wait 199
wire data type 27–28

X

xor method 40

